

# ALEXOR

by DSC

DSC

2-Way Wireless Outdoor Siren

Alexor 2-Way Wireless Panel

2-Way Wireless Wire-Free Keypad

Wireless Pet-Immune  
Passive Infrared Detector



Wireless Internal Siren

Wireless Prox Tag &  
2 - Way Wireless Key

Wireless Smoke Detector

**PACIFIC**  
**SECURITY**  
**TECHNOLOGY**

**1300 660 445**

## Superior protection & Security

With the new Wireless Security System from DSC featuring the new ALEXOR wireless panel, you can be assured that you are receiving the finest home security system on the market.

With a wide range of complementary security devices, the system offers fully secure, 24/7 communication and complete protection.

## What wireless means for you

As the system is wireless, it installs quickly with minimal compromise to your home or business structure. Its fast and easier installation means less time to install into your home or business - so you can get on with your day,

## Control your system with confidence

Through the compact and sleek keypad, you control your security system. With easy to use one-touch keys, all family members can use the system with complete confidence. Handy wall or free-standing desk stand options give you more choice in there keypads can be located throughout the home.



## Just a touch of a button

No more fumbling at the door with arms full of packages or worries about remembering security codes. The ALEXOR wireless key provides you with easy management of your security system. Full protection - at your fingertips.

## Highest level of protection available

The ALEXOR will detect movement within the home, (without detecting pets), breaking glass on windows, Carbon Monoxide presence, smoke or fire, and flooding. When used with monitoring service, all devices are monitored to ensure your family and home is protected at all times. It is truly the highest level of protection available.

## Emergency response

When an alarm is activates, a monitored Wireless Security System instantly connects to a monitoring station. Emergency services are dispatched as required by either internet or GSM/GPRS channels (the same communication method as your mobile phone).

## PC9155AUS ALEXOR 2-Way Wireless Panel

- 32 Wireless Zones, 16 wireless keys (without using a zone slot)
- Wireless quick enroll
- 16 user codes, 1 master code and 1 maintenance code
- Account code error checking
- Alternate communications via GPRS & IP
- SMS Command and Control with confirmation
- Allows for arming, disarming, bypassing, ect
- Independent opening and closing door chime control
- Seamless quick enroll and placement testing
- Voice Dialer for Alexor
  - Intergrated voice dialer
  - Voicedialer available in 16 languages
  - (mm) - Voice library of 50 words, includes
    - 16 custom recorded words ans 1 site identity
    - 6 voice dial numbers for multiple path communication of events
    - Remote access via the phone line to arm / disarm / bypass
    - Ability to switch from voice dial call to remote access
- 200mA Aux Output
- Onboard siren at 85dB
- Wall and case tamper
- 24Hr Battery backup
- 2 Input / Output terminals
- 500 event buffer



Approval Listings: UL, A-tick, Telepermit, C-tick, CCC, IDA (Singapore), European CE Directives (EMC,R&TTE, LVD)

## WT5500 2-Way Wireless Wire- Free Keypad



- 2 x 16 full message display
- Intuitive clock programing
- Multiple door chime
- Ambient light sensor
- Display & keymat backlighting
- Outdoor temperature display
- Wall and Deskstand mount
- Proximity Tag PT4 Arm / Disarm (WT5500P Only)
- Installer's programming
- Milti-Language support
- 5 Programmable function keys
- 3 one-touch emergency keys
- Tamper switch
- Normal battery life - 1 year
- Compatible with ALEXOR
- Visual armed status during sleep mode

Approval Listings: UL, CE, Telepermit, C-tick, CCC, IDA (Singapore), Europen CE Directives (EMC,R&TTE, LVD)

## WT4911BAM 2-Way Wireless Outdoor Siren



- Siren Output - 100dB
- Siren Sounds for Alarms Squaks
- Strobe light functionality for visual indication
- Provides temperature to WT5500
- Wire-free keypad
- Transmits RF status, low battery and tamper condition
- Large print area for company logo
- Front and back tamper detection
- IP34 rating
- Normal battery life 2-3 years
- Compatible with ALEXOR

Approval Listings UL, European CE Directives (EMC,R&TTE, LVD), C-tick, IDA (Singapore), CCC/SRRC (China)



### WT4989 2-Way Wireless Key

- Backlit icon display
- Built-in buzzer for audible feedback
- Key tactile feedback
- 4 one touch function keys, programmable for up to 6 functions
- Wireless key keylock
- Active alarm indication
- Water resistant
- Multifunction clip
- Nominal Battery life - 3 years

Approval Listings: European CE Directives (EMC,R&TTE, LVD), C-tick, IDA (Singapore), CCC/SRRC (China)



### WS4904PW Wireless Pet-Immune Passive Infrared Detector

- WS4904PW replaces the WLS904PL-433
- Based on the Bravo® 3D hardwire motion detector
- High-traffic shutdown
- WS4904PW features pet immunity up to 27Kg (60 lbs)
- 1 lithium battery included

Approval Listings: C-tck, CCC, (China) SRRC, IDA (Singapore), European CE Directives (EMC,R&TTE, LVD), UL, WPC India)



### WT4901 2-Way Wireless Indoor Siren

- Siren Output - 85dB
- Siren sounds for alarms, door chimes, entry/exit delay and troubles
- Onboard test button
- Transmits RF status, low battery and tamper condition
- Front and back tamper detection
- Normal battery life 1 year

Approval Listings: UL, European CE Directives (EMC, R&TTE, LVD), C-tick, IDA (Singapore), CPD), CCC/SRRC (China)



### WS4916 Wireless Photoelectric Smoke Detector with Heat

- Automatic drift Compensation
- Built-in, dual-sensor heat detector with fixed heat and rate of rise (non UL listed)
- Built-in 85dB horn
- Local test button
- Low profile design
- High/Low sensitivity reporting
- Low battery indication
- Easy-maintenance removable smoke chamber
- Non-contact sensitivity reading with handheld test meter (FSD-100)
- Long-life lithium battery's included
- UL/ULC/EN listed for residential applications

Approval Listings: C-tick, IDA (Singapore), European CE Directives (EMC, R&TTE, LVD, CPD), UL,WPC(India)

## WS4945 Wireless Door/Window Contact


- Built-in reed switch
- Normally closed external contact input
- 1 lithium battery included
- Reliable 433 MHz technology
- Case and wall tamper



Approval Listings C-tick, CCC (China), SRRC, IDA (Singapore), European CE Directives (EMC,R&TTE, LVD), UL,WPC(India)

## WS4975 Vanishing Contact

- Built-in reed switch
- Wafer-thin profile
- Long-life lithium battery included
- 5/8" (16 mm) magnet gap
- Reliable 433 MHz technology
- Includes double-sided tape



Approval Listings: European CE Directives (EMC,R&TTE, LVD), WPC (India)

## WS4920 Wireless Repeater

- Greatly extends the range of DSC 1-way wireless devices
- Backward compatible with existing security systems including ALEXOR, PowerSeries 9047, PowerSeries and MAXSYS
- Identifies the optimal location for mounting taking into consideration and interference
- Quick enrolment of DSC 1-way wireless devices
- Status LEDs for AC, battery and RF Jam
- Up to four repeaters can be installed for each panel / receiver
- Supports up to 164 wireless devices
- Wall and case tamper protection
- Aesthetically pleasing design



Approval Listings: UL/ULC, European CE Directives (EMC,R&TTE, LVD), FCC/IC

## WLS912L Wireless Glassbreak Detector


- Based on the Acuity™ glassbreak detector
- Tamper-activated test mode: should be tested using the AFT-100 glassbreak simulator
- 2 lithium batteries included



Approval Listings: C-tick, IDA (Singapore), European CE Directives (EMC,R&TTE, LVD), WPC (India), UL/ULC, FCC/IC

# Alexor 2 Way Wireless Security Suite

Suggested Placement of Security Suite components in your home



## WIRELESS ARM / DISARM PANIC & OUTDOOR SIREN



\* Other components are also available. \*